




GOASSETLEASING
GOAssetLeasing.com

Hydraulic Winch Lantec 540-123



2800 psi @ 90 Gpm				
Wire	Layer	Line Pull (LBS.)	Line Speed (FPM)	Capacity (ft.)
1.25" Wire	1	70,841	30	89
	2	61,587	35	191
	3	54,471	39	306
	4	48,829	43	434
	5	44,246	48	576
	6	40,450	53	732

Technical Details	
Motor	WM 76-3 Hydraulic motor
Gear Ratio	8:1
Drum Size	123
Shipping Dimensions	28.88"L x 6.5"W x 2.25"H
Shipping Weight	Aprx. 3065 lbs

Rev 2025.07.11

A-FRAME CAPACITY – ALL POSITIONS

24 ST (48,000 LBS.) SWL W/ LEG MOUNTED WINCH

15 ST (30,000 LBS.) SWL W/ DECK MOUNTED WINCH

*LEG MOUNTED WINCH PERFORMANCE			
WINCH	LANTEC 540-123		
LINE:	1.25" DYNEEMA, 12-STRAND		
LAYER	DRUM CAP. (FT.)	LINE PULL (LBS.)	LINE SPEED (FPM)
1	89	70,841	30.1
2	191	61,587	34.6
3	306	54,471	39.1
4	434	48,829	43.7
5	576	44,246	48.2
6	732	40,450	52.7

—

CH*
ICH

—